

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	1	"5268635".pn.	US- PGPUB ; USPAT ; EPO; JPO	2005/02/24 06:20	
2	BRS	L2	1	1 and (clock\$3 or vco\$1 or oscillat\$4 or xvco\$1)	US- PGPUB ; USPAT ; EPO; JPO	2005/02/24 06:24	
3	BRS	L3	3	("5814903".pn. or "5065413".pn. or "5923191".pn.) and (clock\$3 or clk\$1 or vco\$1 or xvco\$1)	US- PGPUB ; USPAT ; EPO; JPO	2005/02/24 06:45	

	Error Definition	Err ors
1		
2		
3		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
4	BRS	L4	228	(high\$3 near2 compar\$6 or big\$4 adj2 compar\$6 or high\$3 near2 detect\$4 or high\$3 adj2 voltag\$3 or low\$3 near2 compar\$6 or smal\$4 near2 compar\$3 or smal\$3 near2 detec\$4 or upper adj2 compar\$4 or upper adj2 voltag\$3 or upper adj2 limit\$1 or lower adj2 compar\$3 or lower adj2 voltag\$3 or lower adj2 limit\$3 or upper adj2 detect\$4 or lower adj2 detect\$4) with (clock\$3 or CLK\$1 or vco\$1 or xvco\$1 or CK\$1) with (logic\$3 near2 circuit\$3 or logic\$4 near2 device\$1 or combin\$8 near2 logic\$3 or combin\$8 near3 circuit\$3 or combin\$8 near2 sequenc\$3 or combin\$6 near3 register\$1 or combin\$8 near3 gate\$1 or combin\$8 near3 latch\$)	US- PGPUB ; USPAT ; EPO; JPO	2005/02/2 4 06:53	
5	BRS	L5	3	4 and (noise near3 detect\$4 or noise near3 determin\$4 or noise near3 calculat\$4 or interference near3 detect\$4 or interference near3 determin\$4 or interfernece near3 calculat\$4)	US- PGPUB ; USPAT ; EPO; JPO	2005/02/2 4 07:02	

	Error Definition	Err ors
4		
5		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
6	BRS	L6	80	4 and (noise or interfernece)	US- PGPUB ; USPAT ; EPO; JPO	2005/02/2 4 07:02	
7	BRS	L7	84	4 and (noise or interference)	US- PGPUB ; USPAT ; EPO; JPO	2005/02/2 4 07:27	
8	BRS	L8	2	("6522160").URPN.	USPAT	2005/02/2 4 07:09	
9	BRS	L9	1	("5793240").PN.	US- PGPUB ; USPAT ; USOCR	2005/02/2 4 07:10	
10	BRS	L10	144	4 not 7	US- PGPUB ; USPAT ; EPO; JPO	2005/02/2 4 07:27	
11	BRS	L11	13	("5097147").URPN.	USPAT	2005/02/2 4 07:59	

	Error Definition	Err ors
6		
7		
8		
9		
10		
11		